


# CEVOL PALLET HIRE

YOUR MATERIALS HANDLING & LOGISTICS SOLUTION



*Leaders in Quality, Reliability and Safety*  
[www.cevol.com.au](http://www.cevol.com.au)



# CEVOL STORY SO FAR...

Colin Love Snr began building steel pallets (stillages) in 1968, registering Colin Love & Co Pty Ltd (the manufacturer). This was shortly followed by Cevol Industries Pty Ltd (the hirer), as it became apparent that most companies saw the advantage in hiring, with no capital outlay, full tax deduction, combined with flexibility of supply.

There is no minimum number or period of time for the hire of Cevol pallets – for a few days while moving location, to long term storage use.

The intention was to offer for hire a standard pallet with no variations. Forty years on our range has increased to over 30 styles of pallets, which includes our original SM.1 type pallet. We are now the largest manufacturer of steel pallets in Australia. Cevol's pallets have been cost effectively utilised in industries as diverse as; Automotive, Plastics, Security, Logistics and Warehousing, Clothing Manufacturing, Recyclers, Mail Distribution and Printers to name a few.

We pride ourselves on keeping in close contact with our customers and markets, so we are there to help with changing needs and material handling requirements. Cevol has always been extremely conscious of Health and Safety, ease of handling and need for product protection. Every design is tested and approved to ensure a safe and reliable product. Our design team have over 100 years experience between them in designing and manufacturing quality products.

With the recession in 1989 the decision was made to grow, not decline, and the company set up agents in New South Wales and Queensland. In the years that have followed we have built branches in both states and more recently have opened in Perth and Adelaide.

Cevol Industries is proud to say that they are still fully Australian owned, with all pallets manufactured in Victoria by our sister company Colin Love and Co Pty Ltd, and assembled in the various state branches. Currently with 14 robotic welders and a robotic spray paint system to help maintain our cost effective hire rates, you can be assured of the quality of every product, at cost effective prices. At Cevol our goal will always be to supply the best quality product and service.

Health and Safety is a major priority and therefore the maintenance of Cevol pallets is crucially important. We ask all our customers to work with us and return any damaged units for replacement. Cevol Industries comply with Australian Standards regulations.

AS / NZS 1554.1 : 2004, AS / NZS 3679.1 - 300, AS 1594, AS 1163 – C350 LO



# STANDARD FEATURES OF PALLETS

1. All units have 4 way lifting access
2. All units make maximum use of legal truck tray space
3. Folding pallets – C Series parts are non-removable for loss prevention
4. Security lids available on request for most types
5. All gates can be opened when stacked
6. Pallets are a versatile substitute for fixed racking
7. Can be stencilled with your company name & numbered
8. Various pallets with same base dimension are interstackable
9. Bar coding available for your own tracking of pallet

# CUSTOM MADE PALLETS

DESIGNERS AND MANUFACTURERS FOR OVER 40 YEARS



- Prototype Design
- Dunnage
- Fixed Post and Folding Cages
- Bins
- Trolleys
- Robotic Welding
- Specialised Export Stillages

Our qualified staff will help with concepts and designs for your manufacturing, storage, logistics, warehousing or other material handling needs.

## FM.1

### STANDARD FEATURES:

- Galvanised base
- Zinc plated gates & sides
- Sound deadening material on base
- No pinch points on gate latches
- Barcoding standard
- Nests in standard racking
- Gates half drop & remove fully - walk in access
- Ends - tensioned to stop them falling
- Parts easily replaced & interchangeable
- Positive stacking method
- Available with a lid & shelves

### SPECIFICATIONS:

All measurements are in mm

Base dimensions	1160 x 1160
Useable space	1090 x 1090
Outside feet	1170 x 1170
Overall height	1130
Inside height	935
Folded height	360
Under base	120
Safe working load	1000 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	1.13 m <sup>3</sup>
Approx mass	98 kg

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS

**"AUSTRALIA POST APPROVED"**



FM.1



FM.1



FM.1



FM.1

# FP.2

**STANDARD FEATURES:**

- Rugged construction
- Fork entry all sides
- Can be stored in racking
- Fixed roof
- May be used as security container
- Two barn doors - both lockable
- Gates may be removed when loading
- Provision for three shelves

**SPECIFICATIONS:** All measurements are in mm

Outside stacking spigots	1167 x 1167
Inside base	1136 x 1136
Overall height	2050
Inside height	1820
Safe working load	1000 kg per unit stacked 2 high (N.A.T.A tested)
Cubic capacity	2.41 m3
Approx mass	170 kg

**PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS**



FP.2



FP.2



FP.2

## BM.1 & BS.1

### STANDARD FEATURES:

Fixed post pallet with half drop front gate  
 Designed to fully utilise legal space on tray trucks  
 Can be made with a lockable lid i.e. BM.1L/BS.1L  
 Can be stacked 2 high on truck

### SPECIFICATIONS:

All measurements are in mm

Base dimensions	2200 x 1061
Useable space	2200 x 980
Outside feet	2292 x 1158
Overall height	1285
Inside height	1070
Under base	100
Safe working load	1000 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	2.5 m <sup>3</sup>
Approx mass	BM.1 - 180 kg BS.1 - 225 kg



BM.1



BS.1



BM.2

## BM.2

### STANDARD FEATURES:

Fixed post pallet with 2 half drop gates  
 Designed to fully utilise legal space on tray trucks  
 Can be stacked 3 high on truck  
 Can be made with a lockable lid i.e. BM.2L

### SPECIFICATIONS:

All measurements are in mm

Base dimensions	2200 x 1061
Useable space	2200 x 980
Outside feet	2292 x 1158
Overall height	940
Inside height	725
Under base	100
Safe working load	1000 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	1.69 m <sup>3</sup>
Approx mass	165 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS

# CBM.1R & CBS.1R

**STANDARD FEATURES:**

- Folding pallet offering bulk storage and visual product identification
- Four folded equals one built up
- Sides are not removable, therefore cannot be lost
- Both can be made with a lockable lid i.e. CBM.1RL & CBS.1RL

**SPECIFICATIONS:** All measurements are in mm

Base dimensions	2200 x 1061
Useable space	2180 x 980
Outside feet	2292 x 1158
Overall height	1265
Inside height	1050
Folded height	330
Under base	100
Safe working load	1000 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	2.3 m3
Approx mass	CBM.1R - 190 kg CBS.1R - 220 kg



CBM.1R

# CBM.2R

**STANDARD FEATURES:**

- Folding pallet offering bulk storage and visual product identification
- Three folded equals one built up
- Sides are not removable, therefore cannot be lost

**SPECIFICATIONS:** All measurements are in mm

Base dimensions	2200 x 1061
Useable space	2180 x 980
Outside feet	2292 x 1158
Overall height	940
Inside height	725
Folded height	330
Under base	100
Safe working load	1000 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	1.6 m3
Approx mass	170 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



CBS.1R



CBM.2R

## D & D LONG

### STANDARD FEATURES:

### D

Pallet with fixed end frames  
Suitable for storage of rolls, tubes or bulker bags  
Useful for easing warehousing problems

### DF

Pallet with folding end frames  
Suitable for storage of rolls, tubes or bulker bags  
Useful for easing warehousing problems  
Four pallets folded and stacked equals one built up

## D LONG

Pallet with fixed frames on longer sides  
Ability to stack and store longer product  
Suitable for storage of rolls, tubes or bulker bags

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1232 x 927
Useable space	D - 1152 X 927 DF - 1110 x 927
Outside feet	1325 x 1020
Overall height	1254
Inside height	1060
Folded height	DF only - 305
Under base	100
Safe working load	500 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	1.13 m <sup>3</sup>
Approx mass	57 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



## BM.1F & BM.1FC

### STANDARD FEATURES:

BM.1F pallet with fixed end frames, or BM.1FC with folding end posts, suitable for storage of product in rolls, tubes or bulker bags

Useful for easing warehousing problems

Designed to fully utilise legal space on tray trucks

Goods in rolls may overlap the base depending on the strength of the roll.

### SPECIFICATIONS:

All measurements are in mm

Base dimensions	2200 x 1061
Useable space	2200 x 980
Outside feet	2292 x 1158
Overall height	1285
Inside height	1070
Folded height	BM.1FC - 330
Under base	100
Safe working load	1000 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	2.53 m <sup>3</sup>
Approx mass	163 kg



BM.1F



BM.1FC

## DWP

### STANDARD FEATURES:

Very rugged construction

Specifically for storage of loaded wooden pallets

Can be stacked on top of each other and avoid damage to product

Can be stacked and shifted as necessary

Fork entry on all sides

### SPECIFICATIONS:

All measurements are in mm

Base dimensions	1232 x 927
Useable space	1232 x 927
Outside feet	1405 x 1020
Overall height	1254
Inside height	1060
Under base	100
Safe working load	1500 kg per unit stacked 3 high (N.A.T.A tested)
Cubic capacity	1.21 m <sup>3</sup>
Approx mass	62 kg



DWP



DWP

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS

## SM.1 & SM.1R

### STANDARD FEATURES:

- Our first and most popular pallet
- Jack of all trades
- Suitable for most warehousing and transportation needs
- Can be self stacked 5 high
- SM.1R can be used in pallet racking

### SPECIFICATIONS: **All measurements are in mm**

Base dimensions	1220 x 915
Useable space	1200 x 885
Outside feet	1325 x 1020
Overall height	SM.1 - 940 SM.1R - 970
Inside height	735
Under base	SM.1 - 120 SM.1R - 105
Safe working load	700 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.83 m <sup>3</sup>
Approx mass	SM.1 - 65 kg SM.1R - 68 kg

## HM.1

### STANDARD FEATURES:

- No feet ensures easy loading on trucks and no curtain damage
- Ability to store in pallet racking
- Can be used on belt or roller system
- Gates recessed to avoid damage to catches and gates

### SPECIFICATIONS: **All measurements are in mm**

Base dimensions	1242 x 937
Useable space	1200 x 915
Overall height	922
Inside height	735
Under base	104
Safe working load	1000 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.83 M <sup>3</sup>
Approx mass	90 kg

**PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS**



SM.1R



HM.1

## MM.1

### STANDARD FEATURES:

Fixed post pallet with half drop front gate

### SPECIFICATIONS:

All measurements are in mm

Base dimensions	1750 x 1061
Useable space	1750 x 980
Outside feet	1840 x 1158
Overall height	1285
Inside height	1070
Under base	100
Safe working load	1000 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	2.0 m <sup>3</sup>
Approx mass	174 kg



MM.1

## SS.3

### STANDARD FEATURES:

Useful for small parts  
Use also when floor space is severely limited  
Stacks 5 high on truck when transporting

### SPECIFICATIONS:

All measurements are in mm

Base dimensions	930 x 630
Useable space	925 x 605
Outside feet	1040 x 740
Overall height	540
Inside height	360
Under base	100
Safe working load	500 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.21 m <sup>3</sup>
Approx mass	41 kg



SS.3

## SS.3C

### STANDARD FEATURES:

Folding pallet for small items  
2 folded equals one built up

### SPECIFICATIONS:

All measurements are in mm

Base dimensions	930 x 630
Useable Space	925 x 605
Outside Feet	1022 x 722
Overall height	540
Inside Height	360
Under base	100
Safe working load	700 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.21 m <sup>3</sup>
Approx mass	55 kg



SS.3C

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS

## SS.1 & SS.1L

### STANDARD FEATURES:

- Same dimensions as SM.1
- Suitable when mesh could cause product damage
- Available with a lockable lid
- Can be stacked 3 high on truck for transporting

### SPECIFICATIONS:

All measurements are in mm

Base dimensions	1220 x 915
Useable space	1215 x 890
Outside feet	1325 x 1020
Overall height	940
Inside height	735
Under base	120
Safe working load	700 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.83 m3
Approx mass	SS.1 - 85 Kg SS.1L - 107 kg

## SS.2

### STANDARD FEATURES:

- Half the inside height of SS.1
- Can stack 5 high on truck when transporting

### SPECIFICATIONS:

All measurements are in mm

Base dimensions	1220 x 915
Useable space	1215 x 890
Outside feet	1325 x 1020
Overall height	550
Inside height	365
Under base	100
Safe working load	500 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.41 m3
Approx mass	60 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



SS.1



SS.1L



SS.2

## CS.1 & CS.1L

### STANDARD FEATURES:

- Substantial savings on return cartage when folded
- Three folded equals one built up
- Sides are not removable, therefore cannot be lost
- Available with a lockable lid
- Available in 1 metre inside height i.e. CS.1X

SPECIFICATIONS:	All measurements are in mm
Base dimensions	1232 x 927
Useable space	1210 x 845
Outside feet	1325 x 1020
Overall height	930
Inside height	720
Folded height	305
Under base	100
Safe working load	1000 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.80 m3
Approx mass	CS.1 - 98 kg CS.1L - 125 kg



CS.1



CS.1L

## CS.2

### STANDARD FEATURES:

- Substantial savings on return cartage when folded
- Two folded equals one built up

SPECIFICATIONS:	All measurements are in mm
Base dimensions	1232 x 927
Useable space	1210 x 845
Outside feet	1325 x 1020
Overall height	550
Inside height	340
Folded height	305
Under base	100
Safe working load	1000 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	0.41 m3
Approx mass	80 kg

ALL ABOVE PALLETS ARE INTERSTACKABLE

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



CS.2

## CS.3 & CS.4

### STANDARD FEATURES:

CS.3 AND CS.4 have the same base dimensions  
 Suitable for use in racking  
 Both can be made with lockable lid i.e. CS.3L & CS.4L

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1152 x 1152
Useable space	1130 x 1070
Outside feet	1165 x 1165
Overall height	CS.3 - 775 CS.4 - 1150
Inside height	CS.3 - 560 CS.4 - 925
Folded height	CS.3 - 405 CS.4 - 430
Under base	100
Safe working load	1000 kg per unit stacked 5 high (N.A.T.A tested)
Cubic capacity	CS.3 - 0.763 m3 CS.4 - 1.260 m3
Approx mass	CS.3 - 135 kg - with lid 155 kg CS.4 - 145 kg - with lid 165 kg

CS.3 & CS.4 PALLETS ARE INTERSTACKABLE

## CGM.1

### STANDARD FEATURES:

Used extensively in the motor trade for Kanban  
 Half drop gates all 4 sides

### SPECIFICATIONS: All measurements are in mm

Base dimensions	1160 x 630
Useable space	1130 x 535
Outside feet	1168 x 638
Overall height	820
Inside height	625
Folded height	335
Under base	100
Safe working load	850 kg per unit stacked 4 high (N.A.T.A tested)
Cubic capacity	0.4 m3
Approx mass	90 kg

PALLETS MUST BE USED WITHIN THE STATED OPERATIONAL LIMITS



CS.3



CS.4L



CGM.1



DT.1/DT.2



FP.2 (with 2 shelves)



BM.F1



FP.2 (with 1 shelf)



BM.F1C



BM.F1C (folded)



SM.1



CGM.1 (folded & stacked)




SS.3C



CBM.1R (folded & stacked)



HM.1



CS.4L (folded)



HM.1



DWP



SS.3C (folded)

# TERMS OF HIRE

CEVOL INDUSTRIES PTY. LTD. A.C.N. 005 182 598

1. In these terms:
  - (a) "EQUIPMENT" includes:-  
A Pallet or Pallets, comprising of wire mesh or sheet sections forming four walls and either a mesh or a sheet base, and variations.
  - (b) "CEVOL" means Cevol Industries Pty. Ltd. A.C.N. 005 182 598 (its successors and assigns) the owner and hirer-out (under the trade name of Cevol Industries Pty. Ltd.) of the EQUIPMENT, the subject of the hire under these terms.
  - (c) "HIRER" means any person, firm or corporation (its successors or assigns) to whom or to which EQUIPMENT is hired by CEVOL.
  - (d) "QUANTITY OF EQUIPMENT ON HIRE" means in respect of any week the quantity of pallets which have been hired out to the HIRER on or before that day and the quantity of pallets which have been returned (or are deemed pursuant to Clause 4 to have been returned) by the HIRER to CEVOL before that day provided that where there has been any determination under Clause 3 (b) of the quantity of pallets on hire it shall mean the quantity so last determined as at the day to which such determination relates plus the quantity thereafter taken on hire less the quantity returned or deemed to be returned as aforesaid.
  - (e) "HIRING" as pertaining to this agreement, is deemed to commence at the point of delivery of possession of the EQUIPMENT by Cevol to the hirer and is deemed to terminate once possession of the EQUIPMENT is returned to Cevol by the HIRER.
  - (f) "GUARANTOR" shall mean any person who signs the form of Guarantee annexed to and forming part of these Terms of Hire.
2. (a) HIRER not to sell, mortgage, or remove EQUIPMENT etc. The HIRER during the continuance of the hiring will not sell or offer for sale assign mortgage pledge underlet lend or otherwise deal with the said EQUIPMENT or any part or parts thereof or with any interest therein or in this agreement but will keep the said EQUIPMENT in his own possession and will not remove the same or any part or parts thereof from the place where such EQUIPMENT is for the time being without the previous consent in writing of Cevol and will not allow any lien to be created upon the said EQUIPMENT whether for repairs or otherwise and will duly and punctually pay all rents rates taxes charges and impositions payable in respect of the premises whereon the said EQUIPMENT shall for the time being be situate and produce all receipts for such payments to Cevol on demand and will protect the said EQUIPMENT against distress execution or seizure and Cevol against all losses costs charges damages and expenses incurred by him by reason or in respect thereof.

**SAFE-KEEPING:**

  - (b) The HIRER accepts full responsibility for the safe-keeping of the EQUIPMENT, and except as specified hereafter, indemnifies CEVOL for all loss, theft of or damage to the EQUIPMENT however caused and without limiting the generality of the foregoing whether or not such loss, theft or damage is attributable to any negligence, failure or omission of the HIRER.

**INSPECTION:**

  - (c) Cevol has the right to enter upon the HIRERS premises from time to time as is reasonable during the hire period, to inspect the EQUIPMENT. Where the EQUIPMENT is located other than on the HIRERS premises, the customer shall do everything within its power to procure permission for representatives of CEVOL to enter the Site.

**CHANGE IN HIRER'S COMPANY:**

  - (d) It is a fundamental term of these conditions that the HIRER advise CEVOL within 7 days of any change in its share holding or to its Directors, including any change of name of the HIRER (as named in the Credit Application and Directors Guarantee).
3. 

**MONTHLY INVOICING:**

  - (a) The hiring of EQUIPMENT is daily and the hirer shall pay to CEVOL hiring charges accruing daily calculated on the QUANTITY OF EQUIPMENT ON HIRE and payable within seven days after an invoice therefore had been rendered by CEVOL to the HIRER.
  - (b) Such invoice shall state (inter alia) what CEVOL claims to have been:-
    - (i) The QUANTITY OF EQUIPMENT ON HIRE on the first day of the accounting period covered by the invoice.
    - (ii) The quantity of EQUIPMENT if any hired out to the HIRER on any day during the accounting period and the date of each such hiring out.
    - (iii) The quantity of EQUIPMENT if any returned by the HIRER to CEVOL on any day during the accounting period and the date of each such return.
    - (iv) The quantity of EQUIPMENT if any deemed pursuant to Clause 4 to have been so returned during the accounting period and the date of each such return.
  - (c) The QUANTITY OF EQUIPMENT ON HIRE on the last day of accounting period as stated in the invoice shall be a final and conclusive determination of the QUANTITY OF EQUIPMENT ON HIRE on that day and for all purposes as between CEVOL and the HIRER shall be deemed to be such quantity of equipment unless the HIRER within twenty one days after service upon the HIRER of the invoice gives notice in writing to CEVOL that the HIRER disputes the quantity of equipment so stated or there is a clerical error by CEVOL manifest on the face of that invoice alone or CEVOL within ninety days after service upon the HIRER of that invoice serves upon the HIRER an amended invoice alone or CEVOL within ninety days after service upon the HIRER of that invoice serves upon the HIRER an amended invoice for that accounting period of notice in writing that CEVOL waives the right to serve such an amended invoice.
  - (d) Where the QUANTITY OF EQUIPMENT ON HIRE has last been determined as aforesaid such determination shall supersede all previous determinations.
4. 

**LOSSES:**

In the event of any of the EQUIPMENT on hire being lost or destroyed including destruction by fire it shall nevertheless continue to be included in the QUANTITY OF EQUIPMENT ON HIRE until the HIRER has served upon CEVOL notice in writing of such loss or destruction and has paid to CEVOL a sum equal to the then current value of that quantity of new equipment thereupon the EQUIPMENT so lost or destroyed shall be deemed to have been returned to CEVOL.
5. 

**RETURNS:**

  - (a) In the event of any EQUIPMENT being damaged, the HIRER shall forthwith return it to CEVOL for its assessment of such damage, and insofar as such damage is structural, the HIRER shall pay to CEVOL a sum equal to a reasonable charge for the repair of the EQUIPMENT.
  - (b) Any EQUIPMENT returned to CEVOL from HIRING by the HIRER shall be clean and serviceable and the HIRER agrees to pay the reasonable costs of cleaning and/or rendering the pallets serviceable.
6. 

**TRANSPORT:**

Hiring charges do not include any transportation by CEVOL of EQUIPMENT and the HIRER will pay a reasonable additional fee for any transportation by CEVOL at the request of the HIRER.
7. 

**IDENTIFYING MARKS:**

The HIRER shall not remove, deface or cover up nor shall the HIRER cause to be removed, defaced or covered up any identifying marks of ownership on any EQUIPMENT.
8. 

**TERMINATION OF HIRE:**

  - (a) CEVOL may at any time serve upon the HIRER notice to return all EQUIPMENT ON HIRE on that day and in the event of the HIRER returning less than that quantity of equipment the HIRER shall be deemed to have lost the quantity of equipment which the HIRER has so failed to return and thereupon shall forthwith pay to CEVOL a sum equal to the then current value of that quantity of new equipment. The HIRER shall not be entitled to any damages or compensation from CEVOL for any loss suffered whether directly or indirectly by reason of the service upon the HIRER by CEVOL of such notice to return or the consequences of service of such notice.
  - (b) Without prejudice to any other remedies available to CEVOL, CEVOL may terminate the Hire Agreement without notice to the HIRER, if the HIRER:
    - (i) Breaches any of these Conditions of Hire: (and continues to be in a breach for 7 days) or
    - (ii) It is in receipt of a statutory demand pursuant to the Corporations Act, has a winding up petition presented against it, is wound up, goes into voluntary liquidation, commits an act of bankruptcy, has a receiver and/or Manager appointed to its assets or any of them makes an assignment or compromise for the benefit of its creditors, is placed under administration or ceases to carry on business.
  - (c) Upon termination of this Agreement, CEVOL shall be entitled to retake possession of the EQUIPMENT and CEVOL is irrevocably authorised by the HIRER to enter the HIRER'S premises (or any premises under the control of the HIRER or as agent of the HIRER if the equipment is stored at such premises) and use reasonable force to take possession of the equipment without liability for the tort of trespass, negligence or payment of any compensation to the HIRER or anyone claiming through the HIRER whatsoever.
9. 

**INDEMNITY:**

The HIRER shall indemnify CEVOL from and against all claims which may be made against CEVOL for damages or otherwise, in respect of or arising directly or indirectly out of any loss, damage, death or injury whatsoever caused directly or indirectly by or arising directly or indirectly out of the use of any EQUIPMENT whilst on hire to the HIRER which indemnity shall extend to and include all costs and expenses incurred by CEVOL in investigating and/or defending any such claim.
10. The Terms herein stated shall replace other Terms of Hire, if any, previously in force.
11. 

**NOTICES:**

Without limitation of service by any other method any notice or invoice which these terms of hire provide shall or may be served given or rendered by CEVOL shall be deemed to have been properly served and given and rendered if left at the place of business of the HIRER as stated herein (or last notified in writing by the HIRER to CEVOL) or if sent by post addressed thereto and if sent by post such service shall be deemed to have been effected when the letter is in the ordinary course of post delivered.
12. 

**DETERMINATION OF AGREEMENT ON DEFAULT:**

If the HIRER shall make default in punctual payment of the monthly sums so to be paid by him for the hire of the said EQUIPMENT or if an order shall be made for the sequestration of his estate or if he shall enter into any composition or arrangement with his creditors or if the HIRER (being a limited company) shall enter into compulsory or voluntary liquidation (not being a voluntary liquidation only for the purposes of amalgamation or reconstruction) or shall fail to observe and perform the terms and conditions of this agreement on his part to be observed and performed or if the HIRER shall do or cause to be done or permit or suffer any act or thing whereby the CEVOL'S rights in the said EQUIPMENT may be prejudiced or put in jeopardy this agreement shall forthwith determine (without any notice or other act on the part of CEVOL and notwithstanding that CEVOL may have waived some previous default or matter of the same or like nature) and it shall thereupon be lawful for CEVOL to retake possession of the said EQUIPMENT and is irrevocably authorised by the HIRER to enter the HIRER'S premises (or any premises under the control of the HIRER or as agent of the HIRER if the goods are stored at such premises) and use reasonable force to take possession of the equipment without liability for the tort of trespass, negligence or payment of any compensation to the HIRER or anyone claiming through the HIRER whatsoever.
13. The hirer is liable for and agrees to reimburse CEVOL for any expenses incurred by CEVOL in the recovering or attempting to recover payment from the HIRER for any amounts that are overdue. These costs include, but are not limited to, legal court charges, solicitors and debt collection agency commissions and fees.
14. The equipment on hire shall remain at all times the property of CEVOL.

## VICTORIA - HEAD OFFICE:

---



2 - 4 Crawford Street  
BRAESIDE VICTORIA 3195  
PHONE: (03) 9587 3911 FAX: (03) 9587 3987  
Email: [pallets@cevol.com.au](mailto:pallets@cevol.com.au)  
Website: [www.cevol.com.au](http://www.cevol.com.au)  
Despatch:  
229 - 231 Governor Rd (just round the corner)

## N.S.W.

---



56 - 58 Power Street  
ST. MARYS NEW SOUTH WALES 2760  
PHONE: (03) 9587 3911 FAX: (03) 9587 3987  
Free Phone: 1800 643 911  
Email: [pallets@cevol.com.au](mailto:pallets@cevol.com.au)

## QUEENSLAND

---



37 - 43 Macbarry Place  
ROCKLEA QUEENSLAND 4106  
PHONE: (07) 3275 3422 FAX: (07) 3216 7909  
Free Phone: 1300 273 626  
Email: [sales@bremco.com.au](mailto:sales@bremco.com.au)

## S.A.

---



4 Trimmer Road  
ELIZABETH SOUTH SA 5112  
Ph: (03) 9587 3911 Fax: (03) 9587 3987  
Free Phone: 1800 643 911  
Email: [pallets@cevol.com.au](mailto:pallets@cevol.com.au)

## W.A.

---



24 Adams Drive  
WELSHPOOL, WA  
Ph: (08) 9486 2500 Fax: (08) 9486 2501  
Free Phone: 1800 643 911  
Email: [saleswa@cevol.com.au](mailto:saleswa@cevol.com.au)